

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,861,076 B2  
APPLICATION NO. : 10/758994  
DATED : March 1, 2005  
INVENTOR(S) : Raymond P. Warrell, Jr., Pier Paolo Pandolfi and Janice L. Gabrilove

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3,

Line 3, "chinese" should read -- Chinese --;  
Line 17, "in vitro" should read -- *in vitro* --;  
Line 50, "above" should read -- above, --;

Column 4,

Line 42, "Arsobale" should read -- Arsobale® --;

Column 5,

Line 63, "cell-s" should read -- cells --;

Column 6,

Line 62, "oesophagus" should read -- esophagus --;

Column 7,

Lines 10-11, "in vitro can readily be achieved in vivo." should read -- *in vitro* can readily be achieved *in vivo*. --;  
Line 20, "is" should read -- are --;  
Line 36, "(PLXF-RARa)" should read -- (PLXF-RAR $\alpha$ ) --;  
Line 45, "are" should read -- is --;

Column 8,

Line 66, "sterilized" should read -- sterilized, --;

Column 9,

Line 56, "is" should be deleted;

Column 12,

Line 19, "formulation" should read -- formulations --;  
Line 67, "in vitro" should read -- *in vitro* --;

Column 14,

Lines 3, 38 and 39, "in vivo" should read -- *in vitro* --;  
Line 14, "in vitro" should be -- *in vivo* --;

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,861,076 B2  
APPLICATION NO. : 10/758994  
DATED : March 1, 2005  
INVENTOR(S) : Raymond P. Warrell, Jr., Pier Paolo Pandolfi and Janice L. Gabrilove

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 15,

Line 13, "This data indicates" should read -- These data indicate --;  
Line 46-47, "in vitro" should read -- *in vitro*, --;  
Line 50, "ex vivo" should read -- *ex vivo* --;  
Line 54, "in vivo" should read -- *in vivo* --;  
Line 65, "is" should read -- are --;

Column 16,

Line 67, "in situ" should read -- *in situ* --;

Column 17,

Line 13, "in situ" should read -- *in situ* --;  
Line 20, "board" should read -- board. --;

Column 18,

Line 6, "in situ" should read -- *in situ* --;

Column 20,

Lines 13 and 16-17, "in situ" should read -- *in situ* --;  
Line 29, "in vivo" should read -- *in vivo* --;

Column 21,

Line 4, "in situ" should read -- *in situ* --;  
Line 28, "in vitro" should read -- *in vitro* --;  
Line 29, "10-4" should read --  $10^{-4}$  --;  
Line 67, "\" should read -- † --;

Column 22,

Line 10, "in vitro" should read -- *in vitro* --;  
Line 32, "the" should be deleted;  
Line 66, "in situ" should read -- *in situ* --;

Column 23,

Line 5, "in vivo" should read -- *in vivo* --;

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,861,076 B2

Page 3 of 3

APPLICATION NO. : 10/758994

DATED : March 1, 2005

INVENTOR(S) : Raymond P. Warrell, Jr., Pier Paolo Pandolfi and Janice L. Gabrilove

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


Column 24,

Lines 14, 17, 20, 43, 47 and 49, "are" should read -- is --.

This certificate supersedes Certificate of Correction issued September 13, 2005.

Signed and Sealed this

Tenth Day of October, 2006

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS  
*Director of the United States Patent and Trademark Office*